

# Incorporation of Chemical Reactions Into Building-scale Flow

T. D. Humphreys, T. M. Jayaweera, R. L. Lee

January 9, 2004

American Meteorological Society Annual Meeting Seattle, WA, United States January 11, 2004 through January 15, 2004

#### **Disclaimer**

This document was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the University of California nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the University of California, and shall not be used for advertising or product endorsement purposes.



### INCORPORATIONOFCHEMICALREACTIONSINTO BUILDING-SCALEFLOW

#### TOMHUMPHREYS,TINAJAYAWEERA, ROBERTLEE

## LAWRENCELIVERMORENATIONALLABORATORY LIVERMORE,CA


UCRL-CONF-201749

Thisworkwa sperformed under the auspices of the U.S. Departme Lawrence Livermore National Laboratory under contract number No.

ntofEnergybythe W-7405-Eng-48.

#### MANYATMOSPHERICRELEASESINVOLVE CHEMICALLYREACTINGCOMPOUNDS






1998TRACYTIREDUMPFIRE



**RELEASESFROMCHEMICALPLANTS** 



1993RICHMONDCHEMICALSPILL

#### NeedforChemistryandDispersion




- Reactionsmayreduceorincreasethe threatposedbyanatmosphericrelease
- Sourcedetectiondependsonknowing whattolookfor, where
- Moreaccuratesourcetermsfor incorporationintolarger -scaledispersion models
- Localreactantdispersionpatterns resolvablewithhigh -resolutionsimulations

# ComputationalFluidDynamics (CFD)Model



#### FEM3MP

- FiniteElementMethod,3D, MassivelyParallel
- Subgrid ScaleModel options(e.g.,RANS,LES)
- BasicAerosolModel
- BasicSurfaceEnergy Budget
- Currentlybeingupgradedto includeAMR( Kosovic),two wayintegrationwithlarger scalemodels



#### Above:

- Domainwidth:1km
- Buildingsize:50m
- Finestgridspacing:1m
- Velocityshown:1m/sec

#### ChemistryModel



# SMVGearIISolver byMarkJacobson

- SparseMatrix,Vectorized,Gear -type integratorforfirst ordercoupled ODE's
- Providedtousby PhilipCameron -Smith andPeterConnell (LLNL)fromtheir globalchemistry code,IMPACT

#### **Mechanism**

- Listof~30Species
- Reactionsoftype A+B → C+D
- Rateconstantsand activationenergiesRate=

```
k * exp( -E<sub>a</sub> /RT) * [A] * [B]
```

#### CONSTRUCTION



#### <u>Assembly</u>

- SMVGearroutines incorporatedintoone moduleofFEM3MP
- Mechanismtext translatedtocode withscriptswritten byPeterConnell (LLNL)
- Mechanismcode incorporatedduring compilation

#### **Testing**

- StandaloneSMVGear routinestestedagainst separateboxmodel
- FEM3MPwithSMV
  Gearroutinestested
  withnoadvectionor
  diffusion,anduniform
  concentrations
- Concentrationsnearly independentoftime step:1sec,0.5sec, 0.25sec.


#### FeaturesofReactionProductPlumes1



#### LimitedAreaofHighProductConcentrations

Groundcolored byrelease material

Product( grey isosurface)near releaseonly



#### FeaturesofReactionProductPlumes2




#### Maximumproductconcentrationseparatedfromsource



#### FeaturesofReactionProductPlumes3



#### Local"HotSpots"inBuildingWakes



#### CurrentandFutureDirections



- Includeaqueousreactionswithinand heterogeneousreactionsonthesurfaces ofdroplets
- Increasenumberofmechanismsfor commonindustrialandpollutant compounds
- Integrationwithlargerscalechemistry models